

Agenda
Mechanical Board of Appeals and Examiners
Building Services Conference Room
May 11, 2011, 12 noon

Approval of Minutes of Last Meeting

Unfinished Business

1. None

New Business

1. Elect new officers.
2. Appeal No. 2-2011. Mark Lamb from Frisbee Inc. will request the board review section 303.3 of the 2009 IFGC to allow a furnace to be installed with the only access from bedroom/storage closet. The code only allows this installation with combustion air from outdoors per section 304.6 and a solid weather-stripped door equipped with a self closing devise. Mr. Lamb wants to use transfer grilles per section 304.5.3.1 from the living room area in lieu of section 304.6 combustion air from outdoors.
303.3 Prohibited locations. Appliances shall not be located in sleeping rooms, bathrooms, toilet rooms, storage closets or surgical rooms, or in a space that opens only into such rooms or spaces, except where the installation complies with one of the following: 5. The *appliance* is installed in a room or space that opens only into a bedroom or bathroom, and such room or space is used for no other purpose and is provided with a solid weather-stripped door equipped with an *approved* self-closing device. All *combustion air* shall be taken directly from the outdoors in accordance with Section 304.6.

Adjournment

Accessibility. Upon request, accommodations for this hearing will be provided for persons with disabilities. Please contact the Planning and Building Services Department office at 367-8670, 48 hours in advance.

For questions concerning this hearing, please call (605) 367-8670 for assistance.